

# COMPENDIUM: EARLY MEDICATION ABORTION USING MIFEPRISTONE AND MISOPROSTOL

Mifepristone is an antiprogestin that blocks the action of progesterone, the hormone which is needed to maintain a pregnancy. It is most commonly known for its use in combination with the drug misoprostol to induce abortion and has been the subject of extensive research. Results from studies consistently and conclusively confirm the safety, effectiveness, and acceptability of mifepristone for early medication abortion and its use for this purpose has expanded greatly over the past two decades. This compendium documents an historical, non-exhaustive body of evidence generated as a result of studies conducted by Gynuity Health Projects and partners on this subject.

## 2023

Rosenberg, J.D., Raymond, E., Shochet, T. [An examination of loss to follow-up and potential bias in outcome ascertainment in a study of direct-to-patient telemedicine abortion in the United States](#). Contraception; 2023 Feb.

Koenig, L.R., Raymond, E.G., Gold, M., Boraas, C.M., Kaneshiro, B., Winikoff, B., Coplon, L., Upadhyay, U.D. [Mailing abortion pills does not delay care: A cohort study comparing mailed to in-person dispensing of abortion medications in the United States](#). Contraception; 2023 Feb 2:109962.

Tsereteli, N., Mamatsashvili, L., Tservadze, G., Tsereteli, T., Platais, I. [Telemedicine medical abortion service in Georgia: An evaluation of a strategy with reduced number of in-clinic visits](#). The European Journal of Contraception & Reproductive Health Care; 2023 Jan 31:1-6.

## 2022

Kerestes, C., Delafield, R., Elia, J., Shochet, T., Kaneshiro, B., Soon, R. [Person-centered, high-quality care from a distance: A qualitative study of patient experiences of TelAbortion, a model for direct-to-patient medication abortion by mail in the United States](#). Perspect Sex Reprod Health; 2022 Dec;54(4):177-187.

Peña, M., Flores, K.F., Ponce, M.M., Serafín, D.F., Zavala, A.M., Cruz, C.R., Salgado, I.G., Rosado, Y.O., Socarras, T., López, A.P., Bousiéquez, M. [Telemedicine for medical abortion service provision in Mexico: A safety, feasibility, and acceptability study](#). Contraception; 2022 Oct 1;114:67-73.

Comendant, R., Cook, C., Hodorogea, S., Sagaidac, I., Bubulici, C., Platais, I. [\*\*Medical abortion via telemedicine for women and adolescents: Experience from Moldova.\*\*](#) Reproductive, Female and Child Health; 2022 Sep;1(1):80-7.

Upadhyay, U.D., Raymond, E.G., Koenig, L.R., Coplon, L., Gold, M., Kaneshiro, B., Boraas, C.M., Winikoff, B. [\*\*Outcomes and safety of history-based screening for medication abortion: A retrospective multicenter cohort study.\*\*](#) JAMA internal medicine. 2022 May 1;182(5):482-91.

## 2021

Cleland, K., Foster, A., Gomez, A., and Beth Raymond were Guest Editors for: [\*\*Special issue on the mifepristone Risk Evaluation and Mitigation Strategy \(REMS\).\*\*](#) Contraception; 2021 July; Vol. 104(1):1-3.

Raymond, E.G., Anger, H.A., Chong, E., Haskell, S., Grant, M., Boraas, C., Tocce, K., Banks, J., Kaneshiro, B., Baldwin, M.K., Coplon, L., Bednarek, P., Shochet, T., Platais, I. [\*\*"False positive" urine pregnancy test results after successful medication abortion.\*\*](#) Contraception; June 1, 2021; 103(6):400-403):355.

Kerestes C., Murayama, S., Tyson, J., Natavio, M., Seamon, E., Raidoo, S., Lacar, L., Bowen, E., Soon, R., Platais, I., Kaneshiro, B., Stowers, P. [\*\*Provision of medication abortion in Hawai'i during COVID-19: Practical experience with multiple care delivery models.\*\*](#) Contraception; 2021 Mar 28; S0010-7824(21)00097-4.

Chong, E., Shochet, T., Raymond, E., Platais, I., Anger, H. A., Raidoo, S., Soon, R., Grant, M. S., Haskell, S., Tocce, K., Baldwin, M. K., Boraas, C. M., Bednarek, P. H., Banks, J., Coplon, L., Thompson, F., Priegue, E., Winikoff, B. [\*\*Expansion of a direct-to-patient telemedicine abortion service in the United States and experience during the COVID-19 pandemic.\*\*](#) Contraception; 2021 March 27; S0010-7824(21)00091-3.

Anger, H.A., Raymond, E.G., Grant, M., Haskell, S., Boraas, C., Tocce, K., Banks, J., Coplon, L., Shochet, T., Platais, I., Winikoff, B. [\*\*Clinical and service delivery implications of Omitting ultrasound before medication abortion provided via direct-to-patient telemedicine and mail in the U.S.\*\*](#) Contraception; July 27, 2021

## 2020

Dzuba, I., Castillo, P.W., Bousiéquez, M., Lugo Hernández, E.M., Castañeda Vivar, J.J., Sanhueza Smith, P. [\*\*A repeat dose of misoprostol 800mcg following mifepristone for outpatient medical abortion at 64-70 and 71-77 days of gestation: A retrospective chart review.\*\*](#) Contraception; Vol. 102(2): 104-108; August 1, 2020.

Raymond, E.G., Grossman, D., Mark, A., Upadhyay, U.D., Dean, G., Creinin, M.D., Coplon, L., Perritt, J., Atrio, J.M., Taylor, D., Gold, M. [\*\*Commentary: No-test medication abortion: A sample protocol for increasing access during a pandemic and beyond.\*\*](#) Contraception; Vol. 101(6): 361-366; June 1, 2020.

Dzuba, I., Chong, E., Hannum, C., Lichtenberg, E.S., Lugo Hernández, E.M., Ngoc, N.T.N., Patel, A., Rzayeva, G., Sanhueza Smith, P., Tservadze, G., Winikoff, B. [\*\*A non-inferiority study of outpatient mifepristone-misoprostol medical abortion at 64–70 days and 71–77 days of gestation\*\*](#). Contraception; Vol. 101(5): 302-308; May 1, 2020.

## 2019

Raymond, E., Chong, E., Winikoff, B., Platais, I., Mary, M., Lotarevich, T., Castillo, P.W., Kaneshiro, B., Tschan, T., Fontanilla, T., Baldwin, M., Schnyer, A., Coplon, L., Mathieu, N., Bednarek, P., Keady, M., Priegue, E. [\*\*TelAbortion: Evaluation of a direct to patient telemedicine abortion service in the United States\*\*](#). Contraception; 2019 Sep;100(3):173-177.

## 2018

Raymond, E.G., Shochet, T., Bracken, H. [\*\*Low-sensitivity urine pregnancy testing to assess medical abortion outcome: A systematic review\*\*](#). Contraception; 2018 Jul;98(1):30-35.

Raymond, E.G., Tan, Y.L., Grant, M., Benavides, E., Reis, M., Sacks, D.N., Hannum, C., Frapp, S., Weaver, M.A. [\*\*Self-assessment of medical abortion outcome using symptoms and home pregnancy testing\*\*](#). Contraception; 2018 Apr 1;97(4):324-8.

Murtagh, C., Wells, E., Raymond, E., Coeytaux, F., Winikoff, B. [\*\*Exploring the feasibility of obtaining mifepristone and misoprostol from the internet\*\*](#). Contraception; April 1, 2018; Vol. 97(4):287-291.

Raymond, E.G., Tan, Y.L., Comendant, R., Sagaidac, I., Hodorojea, S., Grant, M., Sanhueza, P., Van Pratt, E., Gillespie, G., Boraas, C., Weaver, M.A. [\*\*Simplified medical abortion screening: A demonstration project\*\*](#). Contraception; 2018 Apr 1;97(4):292-6.

Hyland, P., Raymond, E.G., Chong, E. [\*\*A direct-to-patient telemedicine abortion service in Australia: Retrospective analysis of the first 18 months\*\*](#). Australian and New Zealand of Obstetrics & Gynaecology; First published: 30 March 2018.

## 2017

Raymond, E.G., Shochet, T., Blum, J., Sheldon, W.R., Platais, I., Bracken, H., Dabash, R., Weaver, M.A., Ngoc, N.T.N., Blumenthal, P.D., Winikoff, B. [\*\*Serial multilevel urine pregnancy testing to assess medical abortion outcome: A meta-analysis\*\*](#). Contraception. 2017 May;95(5):442-448. Epub 2016 Dec 29.

Raymond, E.G., Blanchard, K., Blumenthal, P.D., Cleland, K., Foster, A. M., Gold, M., Grossman, D., Pendergast, M.K., Westhoff, C.L., Winikoff, B. Mifeprex REMS Study Group. [\*\*Sixteen years of overregulation: Time to unburden Mifeprex\*\*](#). New England Journal of Medicine. 2017 Feb;376(8):790-794.

## 2016

- Raymond, E.G., Weaver, M.A., Louie, K.S., Tan, Y.L., Bousiéquez, M., Aranguré-Peraza, A.G., Lugo-Hernández, E. M., Sanhueza, P., Goldberg, A.B., Culwell, K.R., Kaplan, C., Memmel, L., Sonalkar, S., Jamshidi, R., Winikoff, B. [Effects of depot medroxyprogesterone acetate injection timing on medical abortion efficacy and repeat pregnancy](#). *Obstet Gynecol*; 2016 Oct; 128(4):739-45.
- Platais, I., Tsereteli, T., Grebennikova, G., Lotarevich, T., Winikoff, B. [Prospective study of home use of mifepristone and misoprostol for medical abortion up to 10 weeks of pregnancy in Kazakhstan](#). *Int J Gynaecol Obstet*; 2016 Sep;134(3):268-71.
- Blum, J., Sheldon, W.R., Ngoc, N.T., Winikoff, B., Nga, N.T., Martin, R., Van Thanh, L., Blumenthal, P.D. [Randomized trial assessing home use of two pregnancy tests for determining early medical abortion outcomes at 3, 7, and 14 days after mifepristone](#). *Contraception*; August 01, 2016; Vol.9 4(2):115-121.
- Dabash, R., Shochet, T., Hajri, S., Chelli, H., Hassairi, A.E., Haleb, D., Labassi, H., Sfar, E., Temimi, F., Koenig, L., Winikoff, B. [Self-administered multi-level pregnancy tests in simplified follow-up of medical abortion in Tunisia](#). *BMC Womens Health*. 2016 Jul 30;16:49.
- Tsereteli, T., Chong, E., Louie, K., Bokhua, Z., Winikoff, B. [Acceptability and feasibility of 400 µg buccal misoprostol after 200 mg mifepristone for early medical abortion in Georgia](#). *The European Journal of Contraception & Reproductive Health Care*; July 22, 2016; Vol 21(5): 367-371.
- Raymond, E.G., Chong, E., Hyland, P. [Increasing access to abortion with telemedicine](#). *JAMA Internal Medicine*; May 2016;176(5):585-586.

- Raymond, E.G., Weaver, M.A., Tan, Y.L., Louie, K.S., Bousiéquez, M., Lugo-Hernández, E.M., Aranguré-Peraza, A.G., Sanhueza, P., Kaplan, C., Sonalkar, S., Goldberg, A.B., Culwell, K.R., Memmel, L., Jamshidi, R., Winikoff, B. [Effect of immediate compared with delayed insertion of etonogestrel implants](#). *Obstet Gynecol*; 2016 Feb; 127(2): 306-12.

## 2015

- Abbas, D., Chong, E., Raymond, E.G. [Outpatient medical abortion is safe and effective through 70 days gestation](#). *Contraception*; 2015 Sep;92(3):197-9
- Chong, E., Frye, J.L., Castle, J., Dean, G., Kuehl, L., Winikoff, B. [A prospective, non-randomized study of home-use of mifepristone for medical abortion in the U.S.](#) *Contraception*; July 2015 Vol 92(3): 215-219.
- Dzuba, I.G., Grossman, D., Schreiber, C.A. [Off-label indications for mifepristone in gynecology and obstetrics](#). *Contraception*; Jun 2015 Vol 92(3): 203-205.
- Sheldon, W., Winikoff, B. [Mifepristone label laws and trends in use: Recent experiences in four U.S. states](#). *Contraception*; Jun 2015 Vol 92(3): 182-185.

Raymond, E.G., Bracken, H. [Early medical abortion without prior ultrasound](#). Contraception; Apr 2015 Vol 92(3): 212-214.

Sanhueza Smith, P., Peña, M., Dzuba, I.G., García Martínez, L.G., Aranguré Peraza, A.G., Bousiéquez, M., Shochet, T., Winikoff, B. [Safety, efficacy and acceptability of outpatient mifepristone-misoprostol medical abortion through 70 days since last menstrual period in public sector facilities in Mexico City](#). Reproductive Health Matters; Feb 2015 Vol 22(44): 75-82.

## 2014

Peña, M., Dzuba, I.G., Smith, P.S., Mendoza, L.J., Bousiéquez, M., Martínez, M.L., Polanco, R.R., Villalón, A.E., Winikoff, B. [Efficacy and acceptability of a mifepristone-misoprostol combined regimen for early induced abortion among women in Mexico City](#). International Journal of Gynecology and Obstetrics; Jun 2014. Vol 127(1): 82-85.

Okonofua, F., Shittu, O., Shochet, T., Diop, A., Winikoff, B. [Acceptability and feasibility of medical abortion with mifepristone and misoprostol in Nigeria](#). International Journal of Gynecology and Obstetrics; Apr 2014. Vol 125(1): 49-52.

## 2013

Bracken, H., Dabash, R., Tservadze, G., Posohova, S., Shah, M., Hajri, S., Mundle, S., Chelli, H., Zeramdini, D., Tsereteli, T., Platais, I., Winikoff, B. [A two-pill sublingual misoprostol outpatient regimen following mifepristone for medical abortion through 70 days' last menstrual period: A prospective comparative open-label trial](#). Contraception; Nov 2013 Vol 89(3): 181-186.

Dzuba, I.G., Winikoff, B., Peña, M. [Medical abortion: A path to safe, high-quality abortion care in Latin America and the Caribbean](#). The European Journal of Contraception and Reproductive Health Care; Sep 2013; Vol 18(6): 441-450.

Raymond, E.G., Weaver, M.A., Louie, K.S., Dean, G., Porsch, L., Lichtenberg, E.S., Ali, R., Arnesen, M. [Prophylactic compared with therapeutic ibuprofen analgesia in first-trimester medical abortion](#). Obstet Gynecol; 2013 Sep; Vol. 122(3):558-64.

Swica, Y., Chong, E., Middleton, T., Prine, L., Gold, M., Schreiber, C.A., Winikoff, B. [Acceptability of home use of mifepristone for medical abortion](#). Contraception; July 2013 Vol 88(1): 122-127.

Alam, A., Bracken, H., Johnston, H.B., Raghavan, S., Islam, N., Winikoff, B., Reichenbach, L. [Acceptability and feasibility of mifepristone-misoprostol for menstrual regulation in Bangladesh](#). International Perspectives on Sexual and Reproductive Health; June 2013 Vol 39(2): 79-87.

Lynd, K., Blum, J., Ngoc, N.T., Shochet, T., Blumenthal, P.D., Winikoff, B. [Simplified medical abortion using a semi-quantitative pregnancy test for home-based follow-up](#). Int J Gynaecol Obstet. 2013 May;121(2):144-8. doi: 10.1016/j.ijgo.2012.11.022. Epub 2013 Mar 7.

Raghavan, S., Maistruk, G., Shochet, T., Bannikov, V., Posohova, S., Zhuk, S., Lishchuk, V., Winikoff, B. [Efficacy and acceptability of early mifepristone-misoprostol medical abortion in Ukraine: Results of two clinical trials.](#) The European Journal of Contraception & Reproductive Health Care; Apr 2013; Vol 18(2): 112-119.

Raymond, E.G., Shannon, C., Weaver, M.A., Winikoff, B. [First-trimester medical abortion with mifepristone 200 mg and misoprostol: A systematic review.](#) Contraception; January 2013 Vol 87(1): 26-37.

## 2012

Winikoff, B., Dzuba, I.G., Chong, E., Goldberg, A.B., Lichtenberg, E.S., Ball, C., Dean, G., Sacks, D., Crowden, W.A., Swica, Y. [Extending outpatient medical abortion services through 70 days of gestational age.](#) Obstetrics and Gynecology; Nov 2012; Vol 120 (5): 1070-1076.

Raghavan, S., Ngoc, N.T., Shochet, T., Winikoff, B. [Clinic-level introduction of medical abortion in Vietnam.](#) Int J Gynaecol Obstet. 2012 Oct;119(1):39-43. Epub 2012 Aug 9

Winikoff, B., Sheldon, W. [Use of medicines changing the face of abortion.](#) International Perspectives on Sexual and Reproductive Health; Sept 2012, Vol 38(3): 164-166.

Chong, E., Tsereteli, T., Nguyen, N.N., Winikoff, B. [A randomized controlled trial of different buccal misoprostol doses in mifepristone medical abortion.](#) Contraception; Sept 2012, Vol 86(3): 251-256.

Blum, J., Shochet, T., Lynd, K., Lichtenberg, E.S., Fischer, D., Arnesen, M., Winikoff B., Blumenthal, P.D. [Can at-home semi-quantitative pregnancy tests serve as a replacement for clinical follow-up of medical abortion? A US study.](#) Contraception. 2012 Dec;86(6):757-62. Epub 2012 Aug 13.

Blum, J., Raghavan, S., Dabash, R., Ngoc, N.T.N., Chelli, H., Hajri, S., Conkling, K., Winikoff, B. [Comparison of misoprostol-only and combined mifepristone-misoprostol regimens for home-based early medical abortion in Tunisia and Vietnam.](#) International Journal of Gynecology and Obstetrics August 2012 Vol 118(2): 166-171.

Winikoff, B., Sheldon, W. [Abortion: What is the problem?](#) The Lancet; Feb 2012 Vol 379(9816):594 -596.

## 2011

Ngoc, N.T.N., Blum, J., Raghavan, S., Nga, N.T.B., Dabash, R., Diop, A., Winikoff, B. [Comparing two early medical abortion regimens: mifepristone+misoprostol vs. misoprostol alone.](#) Contraception; May 2011, Vol. 83(5): 410-417.

- Grimes, D.A., Raymond, E.G. [Medical abortion for adolescents](#). BMJ 2011;342:d2185.
- Winikoff, B., Hassoun, D., Bracken, B. [Introduction and provision of medical abortion: A tale of two countries in which technology is necessary but not sufficient](#). Contraception; Apr 2011, Vol. 83(4):322-29.
- Swica, Y., Raghavan, S., Bracken, H., Dabash, R., Winikoff, B. [Review of the literature on patient satisfaction with early medical abortion using mifepristone and misoprostol](#). Expert Rev Obstet Gynecol 2011;6:451-68
- Bracken, H., Clark, W., Lichtenberg, E.S., Schweikert, S.M., Tanenhaus, J., Barajas, A., Alpert, L., Winikoff, B. [Alternatives to routine ultrasound for eligibility assessment prior to early termination of pregnancy with mifepristone-misoprostol](#). BJOG; Jan 2011, V118(1):17-23.

## 2010

- Raghavan, S., Comendant, R., Digol, I., Ungureanu, S., Dondiuc, I., Turcanu, S., Winikoff, B. [Comparison of 400 mcg buccal and 400 mcg sublingual misoprostol after mifepristone medical abortion through 63 days' LMP: A randomized controlled trial](#). Contraception; Dec 2010, 82(6):513-519.
- Clark, W., Bracken, H., Tanenhaus, J., Schweikert, S., Lichtenberg, E.S., Winikoff, B. [Alternatives to a routine follow-up visit for early medical abortion](#). Obstet Gynecol 2010;115:264-72.
- Prine, L., Shannon, C., Gillespie, G., Crowden, W.A., Fortin, J., Howe, M., Dzuba, I. [Medical abortion: Outcomes in a family medicine setting](#). Institute for Family Health, New York, NY, USA. Journal of the American Board of Family Medicine 2010 Jul-Aug;23(4):509-13.

## 2009

- Akın, A., Dabash, R., Dilbaz, B., Aktun, H., Dursun, P., Kiran, S., Aksan, G., Dogan, B., Winikoff, B. [Increasing women's choices in medical abortion: A study of misoprostol 400 µg swallowed immediately or held sublingually following 200 mg mifepristone](#). European Society of Contraception and Reproductive Health; Jun 2009, Vol. 14(3);169-75.
- Yarnall, J., Swica, Y., Winikoff, B. [Non-physician clinicians can safely provide first trimester medical abortion](#). Reproductive Health Matters; May 2009, 17(33);61-9.
- Raghavan, S., Comendant, R., Digol, I., Ungureanu, S., Friptu, V., Bracken, H., Winikoff, B. [Two-pill regimens of misoprostol after mifepristone medical abortion through 63 days' gestational age: A randomized controlled trial of sublingual and oral misoprostol](#). Contraception; Feb 2009, 79(2); 84-90.

**2008**

Winikoff, B., Dzuba, I.G., Creinin, M.D., Crowden, W.A., Goldberg, A.B., Gonzales, J., Howe, M., Moskowitz, J., Prine, L., Shannon, C. [Two distinct oral routes of misoprostol in mifepristone medical abortion: A randomized controlled trial.](#) Obstetrics & Gynecology; Dec 2008; 112:1303-1310.

Shannon, C., Winikoff, B. [How much supervision is necessary for women taking mifepristone and misoprostol for early medical abortion?](#) Women's Health; Mar 2008; Vol. 4, No. 2, Pages 107-111.

**2007**

Blumenthal, P.D., Winikoff, B. [The Supreme Court and the Partial-Birth Abortion Ban Act of 2003: A political procedure replaces woman-centered care.](#) Medscape General Medicine, June 2007, 9(2):52.

Clark, W.H., Gold, M., Grossman, D., Winikoff, B. [Can mifepristone medical abortion be simplified?: A review of the evidence and questions for future research.](#) Contraception ; Apr 2007, 75(4); pp. 245-50.

Bracken, H., Ngoc, N.T.N., Schaff, E., Coyaji, K., Ambardekar, S., Westheimer, E., Winikoff, B. [Mifepristone followed in 24 hours to 48 hours by misoprostol for late first-trimester abortion.](#) Obstetrics and Gynecology; Apr 2007, 109 pp.895-901.

Clark, W., Panton, T., Hann, L., Gold, M. [Medication abortion applying routine sequential measurements of serum hCG and sonography only when indicated.](#) Contraception; Feb 2007, 75(2), pp.131-5.

Coyaji, K., Krishna, U., Ambardekar, S., Bracken, H., Raote, V., Mandlekar, A., Winikoff, B. [Are two doses of misoprostol after mifepristone for early abortion better than one?](#) British Journal of Obstetrics and Gynaecology; Jan 2007.

**2006**

Shannon C., Wiebe, E., Jacot, F., Guilbert, E., Dunn, S., Sheldon, W.R., Winikoff, B. [Regimens of misoprostol with mifepristone for early medical abortion: A randomised trial.](#) British Journal of Obstetrics and Gynaecology; Jun 2006, 113(6), pp 62-628.

**2005**

Middleton, T., Schaff, E., Fielding, S.L., Scahill, M., Shannon, C., Westheimer, E., Wilkinson, T., Winikoff, B. [Randomized trial of mifepristone and buccal or vaginal misoprostol for abortion through 56 days of last menstrual period.](#) Contraception; Nov 2005, 72(5), pp. 328-32.

Clark, W. H., Hassoun, D., Gemzell-Danielsson, K., Fiala, C., Winikoff B. [\*\*Home use of two doses of misoprostol after mifepristone for medical abortion: A pilot study in Sweden and France\*\*](#). European Journal of Contraception and Reproductive Health Care; Sep 2005, 10(3), pp. 184-191.

Shannon, C.S., Winikoff, B., Hausknecht, R., Schaff, E., Blumenthal, P.D., Oyer, D., Sankey, H., Wolff, J., Goldberg, R. [\*\*Multicenter trial of a simplified mifepristone medical abortion regimen\*\*](#). American Journal of Obstetrics and Gynecology; Feb 2005, 105(2), pp. 345-51.

## 2004

Hajri, S., Blum, J., Gueddana, N., Saadi, H., Maazoun, L., Chélli, H., Dabash, R., Winikoff, B. [\*\*Expanding medical abortion in Tunisia: Women's experiences from a multi-site expansion study\*\*](#). Contraception; Dec 2004, pp.487-491.

Ngoc, N.T., Nhan, V.Q., Blum, J., Mai, T.T., Durocher, J.M., Winikoff, B. [\*\*Is home-based administration of prostaglandin safe and feasible for medical abortion? Results from a multisite study in Vietnam\*\*](#). Br J Obstet Gynaecol; 2004;111:814-9.

Hedley, H., Ellertson, C., Trussell, J., Norris Turner, A., Aubeny, E., Coyaji, K., Ngoc, N.T.N., Winikoff, B. [\*\*Accounting for time: Insights from a life-table analysis of the efficacy of medical abortion\*\*](#). American Journal of Obstetrics and Gynecology; Dec 2004, 191(6), pp.1928-33.

Shannon C., Brothers, L.P., Philip, N.M., Winikoff, B. [\*\*Infection after medical abortion: A review of the literature\*\*](#). Contraception; Sep 2004, pp.183-190.

Shannon, C., Brothers, L.P., Philip, N., Winikoff, B. [\*\*Ectopic pregnancy and medical abortion\*\*](#). Obstetrics and Gynecology; Jul 2004; 104: 161-167.

For an even deeper dive into publications on medication abortion in peer-reviewed journals, visit the [Resources](#) section of our website.